according to Regulation (EC) No 1907/2006

# freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

freeform® plast

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Ligth curing one-component material for manufacturing of individual moulded parts

# 1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number:	
	+49 7243/510-0	
	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 a.m	4.00 p.m.)
1.4. Emergency telephone	+49 7243/510-0	
number:	This number is only obtainable	e during office hours (Monday - Thursday 8.00 a.m.
	- 5.00 p.m., Friday 8.00 - 4.00	p.m.)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1B Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard components for labelling

Tricyclodecane dimethanol diacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide nal word: Warning

Signal word: Pictograms:



### **Hazard statements**

H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.

Page 2 of 8

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

# freeform® plast Product code: 10257

Revision date: 19.12.2016

P362+P364 P501 Take off contaminated clothing and wash it before reuse. Dispose of contents/ container in accordance with legal and national regulations.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### Chemical characterization

Mixture of acrylic/ methacrylic resins with auxilliary matters.

### Hazardous components

CAS No	Chemical name			Quantity
	EC No Index No REACH No		REACH No	
	Classification according to Regulat	ion (EC) No. 1272/2008 [CLP]		
42594-17-2	Tricyclodecane dimethanol diacryla	ite		10 - < 15 %
	255-901-3		01-2120051112-76	
	Skin Sens. 1B, Aquatic Chronic 2;	H317 H411		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)ph	osphine oxide		< 1 %
	278-355-8	015-203-00-X		
	Repr. 2, Skin Sens. 1B, Aquatic Ch	ronic 2; H361f H317 H411		

Full text of H and EUH statements: see section 16.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

### After ingestion

Rinse mouth immediately and drink plenty of water. Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

according to Regulation (EC) No 1907/2006

# freeform® plast

Revision date: 19.12.2016

# 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

# 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

## Advice on storage compatibility

Keep away from spontaneous flammable or combustible substances.

#### Further information on storage conditions

Keep only in the original container in a dry and well-ventilated place, away from foodstuffs. Keep away from all kind of ligth. An inert gas blanket should not be applied, because the stability of the product depends on the presence of oxygen (air).

# 7.3. Specific end use(s)

Light curing material for manufacturing of dental moulded parts; for use by trained special staff.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink

#### Eye/face protection

Wear eye/face protection.

# Product code: 10257

Page 3 of 8



according to Regulation (EC) No 1907/2006

## freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 4 of 8

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

#### Skin protection

Wear suitable protective clothing.

# **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid several shades, according to the product name faintly like esters	
		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	not determined	
Initial boiling point and boiling range:	not determined	
Flash point:	>100 °C	DIN 51755
Flammability		
Solid:	not determined	
Gas:	not applicable	
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature		
Solid: Gas:	not determined not applicable	
Decomposition temperature:	>190 °C	
	2130 0	
Oxidizing properties Not oxidizing.		
Vapour pressure: (at 20 °C)	<1 hPa	
Density (at 20 °C):	1,09 g/cm³	DIN 51757
Water solubility:	practically insoluble	
Solubility in other solvents not determined		
Partition coefficient:	not determined	
Vapour density:	not determined	
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	

according to Regulation (EC) No 1907/2006

## freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 5 of 8

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Reacts with : strong oxidising agents, strong alcaline or acidic materials.

#### 10.4. Conditions to avoid

oxidising agents, radicals forming substances or heavy metal ions. Ultra-violet ligth and dayligth initiate polymerisation of the product. Therefore keep only in tigthly closed containers away from any sources of ligth at 15°C - 28°C / 59°F - 82 °F.

#### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

In case of fire, acrid acrylic fumes may occur.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found.

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
42594-17-2	Tricyclodecane dimethanol diacrylate	late			
	oral	LD50	>2000 mg/kg	Rat	OECD 423
	dermal	LD50	>2000 mg/kg	Rat	OECD 402
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide				
	oral	LD50	>5000 mg/kg	Rat	
	dermal	LD50	>2000 mg/kg	Rat	

# Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

May cause an allergic skin reaction. (Tricyclodecane dimethanol diacrylate); (diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide)

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

# freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 6 of 8

## Additional information on tests

This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP].

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose		[h]   [d]	Species	Source
42594-17-2	Tricyclodecane dimethanol dia	crylate				
	Acute fish toxicity	LC50	1,65 mg/l		Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	1,6 mg/l		Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50	2,36 mg/l		Daphnia magna (Big water flea)	OECD 202
75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide						
	Acute algae toxicity	ErC50	>2,01 mg/l	72 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50	3,53 mg/l		Daphnia magna (Big water flea)	
	Acute bacteria toxicity	(>1000	mg/l)	3 h	Activated sludge	

## 12.2. Persistence and degradability

## The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
42594-17-2	Tricyclodecane dimethanol diacrylate			
	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	28%	28	
	Not readily biodegradable (according to OECD criteria)			
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
		0-10%	28	
	Not readily biodegradable (according to OECD criteria)			

## 12.3. Bioaccumulative potential

The product has not been tested.

## Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
42594-17-2	Tricyclodecane dimethanol diacrylate	4,64
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	3,1

### BCF

CAS No	Chemical name	BCF	Species	Source
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphi ne oxide		Cyprinus carpio (Common Carp)	

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

Not identivied as PBT/ vPvB substances

# 12.6. Other adverse effects

No information available.



according to Regulation (EC) No 1907/2006

## freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 7 of 8

## Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

#### 14.6. Special precautions for user

No information available.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulatory information

Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	3 - highly water contaminating
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% Relevant H and EUH statements (number and full text) H317 May cause an allergic skin reaction.

Suspected of damaging fertility.

H361f

according to Regulation (EC) No 1907/2006

# freeform® plast

Revision date: 19.12.2016

Product code: 10257

Page 8 of 8

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

# Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### Identified uses

No	Short title	SU main	SU	PC	PROC	ERC	AC	Specification	
1	Gewerblich	-	-	-	-	-	-	2	
SU main: Main user groups					SU: Sectors of use				
PC: Product categories				PROC:	PROC: Process categories				
ERC: Environmental release categories				AC: Arti	AC: Article categories				

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)